

COLOR INDEX

(Sorted by Item Number)

Stock Colors :

- 100 - White
- 101- Taupe
- 102 - Cocoa
- 103 - Forest Green
- 104 - Primary Blue
- 105 - Dark Brown
- 106 - Light Gray
- 107 - Light Brown
- 108 - Light Green
- 109 - Mauve
- 110 - Black
- 111- Army Green
- 112 - Pale Orange
- 113 - Olive Green
- 114 - Cream
- 115 - Graphite
- 116 - Burgundy
- 117 - Grape Purple
- 118 - Ivory
- 119 - Navy Blue
- 120 - Dark Gray
- 121 - Slate Blue
- 122 - Sunrise Yellow
- 123 - Bright Red
- 124 - Bright Orange
- 125 - Rose
- 126 - Cherry Red
- 127 - Dove Gray
- 128 - Dark Teal
- 130 - Light Blue
- 131 - Rustic Red
- 132 - Gold
- 133 - Bright Blue
- 135 - Medium Gray
- 136 - Chocolate
- 137 - Tan
- 140 -Lilac Purple
- 141 - JD Green
- 145 - Pumpkin Orange
- 147 - Twilight Purple
- 149 - Teal
- 150 - Primary Yellow
- 153 - Autumn
- 211 - Glow in the Dark

Black Light Sensitive Colors

- 200 - Neon Pink
- 201 - Neon Orange
- 202 - Neon Yellow
- 203 - Neon Red
- 204 - Neon Green
- 205 - Neon Blue

Pre-Made Blends

- 300 - Black Marble Blend
- 301 - Harley Mix
- 302 - Electric Blue Blend
- 303 - Dark Earth Tone
- 304 - Black Marble Sparkle
- 305 - Hockeytown Blend
- 306 - Light Earth Tone
- 307- Wine Barrel
- 308 - New Camouflage
- 309 - Autumn Brown Blend
- 310 - Desert Sand
- 311 - Midnight
- 312 - Dark Earth Sparkle
- 315 - Harley Chrome
- 351 - Prairier Blend
- 352 - Sahara Blend

APPLICATION

Floor Application Coverage Rates

| Flake Size | Full | Partial | |
|----------------|------|---------|----------------------|
| Original (~1") | 8-10 | 25-200 | ft ² /lb. |
| 1/2" | 7-9 | 25-200 | ft ² /lb. |
| 1/4" | 5-7 | 25-200 | ft ² /lb. |
| 1/8" | 4-6 | 25-200 | ft ² /lb. |
| 1/16" | 3-5 | 25-200 | ft ² /lb. |
| 1/32" | 2-4 | 25-200 | ft ² /lb. |

*Coverage rates vary depending on customer preferences and application techniques.

Floor Application Methods

Hand Broadcasting :




Pneumatic Hopper-Blower Gun:



TYPICAL SYSTEM

(approximate dry film thickness: 15 - 30 mils)



- CLEAR TOPCOAT
- COLOR CHIPS™
- PIGMENTED BASECOAT
- PRIMER / SEALER
- CONCRETE

For best results, 10-15 mils of clear top-coating is recommended to fully encapsulate *Color Chips*™ and provide a durable wearing surface.

SYSTEM COMPATIBILITY

Lab tested resin chemical compatibility:

- Epoxy
- Polyurethane
- Polyurea
- Various Polymers
- MMA
- Polyaspartic
- And others...

Note:

WHILE THERE ARE NO KNOWN RESIN INCOMPATIBILITIES, WE RECOMMEND UNKNOWN RESIN COMPATIBILITY TESTING PRIOR TO USE.

PRODUCT LIMITATIONS

- *Color Chips*™ are random in shape due to our manufacturing process.
- Although the colorfast pigments in the *Color Chips*™ are UV stable, the specifications for the UV stability and environmental durability of your coating system will determine outdoor suitability.
- Due to inherent product characteristics, a small amount of finer particles will be present within each box.
- Do NOT apply *Color Chips*™ in rain.

STORAGE

Store *Color Chips*™ in an air tight poly-bag in a dry environment at room temp. to avoid moisture, humidity and product degradation.

RECOMMENDED USES



- Aircraft Hangers
- Auto Dealerships
- Banquet Halls
- Bars, Pubs & Taverns
- Basements
- Bathrooms
- Bowling Alleys
- Butcher Shops
- Cafeterias
- Churches
- Clean Rooms
- Commercial Kitchens
- Dog Kennels
- Garage Floors
- Greenhouses
- Grocery Stores
- Hallways
- Hospitals
- Industrial Hallways
- Laboratories
- Laundromats
- Locker Rooms
- Lunch Rooms
- Night Clubs
- Offices
- Pet Stores
- Pharmaceutical Plants
- Public Municipalities
- Restaurants
- Restrooms
- Retail Stores
- Schools
- Show Rooms
- Stadium Hallways
- Zoos
- And more...