

**SAFETY DATA SHEET (SDS)****Section 1. Identification**

<b>Product identifier</b>	LABFAST LO, Part A
<b>Other means of identification</b>	LFL-000-A
<b>Recommended use and restrictions on use</b>	Floor Coating
<b>Initial supplier identifier</b>	LabSurface. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000
<b>Emergency telephone number/restriction on use</b>	Canada - Handling (450) 966-9000 8h-17h Canada - Transport CANUTEC Number 24 hours 613-996-6666

**Section 2. Hazard Identification****Classification of hazardous product (name of the category or subcategory of the hazard class)**

Skin sensitization (Category 1)  
Hazardous to the aquatic environment, long-term hazard (Category 3)

**Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)****Warning**

H317 May cause an allergic skin reaction  
H412 Harmful to aquatic life with long lasting effects

**Prevention**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

**Response**

IF ON SKIN: P302 + P352 Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage**

P403 Store in a well-ventilated place.

**Disposal**

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

**Other hazards known** None

**Section 3. Composition/Information on Ingredients**

<b>Chemical name (common name/synonyms)</b>	<b>CAS number or other</b>	<b>Concentration (%)*</b>
Aspartic Acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, 1,1',4,4'-tetraethyl ester	136210-30-5	< 70 %
Aspartic acid, N,N-methylenebis(2-methyl-4,1-cyclohexanediyl)bis-, tetraethyl ester	136210-32-7	< 50 %

\*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

**Section 4. First-Aid Measures**

<b>Inhalation</b>	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If symptoms persist, seek medical attention.
<b>Ingestion</b>	IF SWALLOWED: Immediately call a doctor. Prevent aspiration of vomit.
<b>Skin contact</b>	IF ON SKIN: Take off contaminated clothing, wash immediately with soap and plenty of water (20 - 30 minutes). If skin irritation occurs: Get medical attention. Wash clothing before reuse. If symptoms persist, seek medical attention.
<b>Eye contact</b>	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
<b>Most important symptoms and effects (acute or delayed)</b>	May cause an allergic skin reaction.
<b>Indication of immediate medical attention/special treatment</b>	In all cases, call a doctor. Do not forget this document.

**Section 5. Fire-Fighting Measures****Specific hazards of the hazardous product (hazardous combustion products)**

Toxic fumes.

**Suitable and unsuitable extinguishing media**

In case of fire: Use Carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol resistant foam, dry sand, water.

**Special protective equipment and precautions for fire-fighters**



During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece.

### Section 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil.

#### Methods and materials for containment and cleaning up

Avoid prolonged exposure. Ventilate area of release. Stop the leak if it can be done safely. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Spill should be contained with inert material and disposed into suitable retaining area. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Dispose of in accordance with local, provincial and federal regulations.

### Section 7. Handling and Storage

#### Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

#### Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 16 - 27 °C.

### Section 8. Exposure Controls/Personal Protection

#### Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits ACGIH – TLV- TWA Not available

#### Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

#### Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: Shirts with long sleeves, long pants; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

### Section 9. Physical and Chemical Properties

<b>Appearance, physical state/colour</b>	Liquid	<b>Vapour pressure</b>	Not available
<b>Odour</b>	Faint odor	<b>Vapour density</b>	Not available
<b>Odour threshold</b>	Not available	<b>Relative density</b>	Not available
<b>pH</b>	Not available	<b>Solubility</b>	Not soluble
<b>Melting/freezing point</b>	Not available	<b>Partition coefficient - n-octanol/water</b>	Not available
<b>Initial boiling point/range</b>	Not available	<b>Auto-ignition temperature</b>	165 °C
<b>Flash point</b>	> 65 °C	<b>Decomposition temperature</b>	Not available
<b>Evaporation rate</b>	Not available	<b>Viscosity</b>	Not available
<b>Flammability (solids and gases)</b>	Not available	<b>VOC</b>	Not available
<b>Upper and lower flammability/explosive limits</b>	Not available	<b>Other</b>	None known

### Section 10. Stability and Reactivity

#### Reactivity

Stable under normal conditions.

#### Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

#### Possibility of hazardous reactions

Non under normal conditions of storage and use.

#### Conditions to avoid (static discharge, shock or vibration)

Excess heat

#### Incompatible materials

Oxidizing agents, acid and isocyanate.

#### Hazardous decomposition products

Ammonia, nitrogen oxides, carbon mono and dioxide CO<sub>2</sub> (CO), amines.

### Section 11. Toxicological Information

#### Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)



May cause an allergic skin reaction.	
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	
Skin irritation.	
<b>Delayed and immediate effects (chronic effects from short-term and long-term exposure)</b>	
Skin Sensitization – May cause allergic skin reaction; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.	
<b>Numerical measures of toxicity (ATE; LD<sub>50</sub> &amp; LC<sub>50</sub>)</b>	
CAS 136210-30-5: LD <sub>50</sub> Oral/Dermal - Rat > 2.000 mg/kg; LC <sub>50</sub> Inhalation - Rat > 4.224 mg/m <sup>3</sup> 4hrs; ATE not available in this document.	
<b>Section 12. Ecological Information</b>	
<b>Ecotoxicity (aquatic and terrestrial information)</b>	
Toxicity to fish: CAS 136210-30-5: LC <sub>50</sub> : 66mg/l (Zebra fish (Brachydanio rerio) 96h); Toxicity to Aquatic Invertebrates: CAS 136210-30-5 EC <sub>50</sub> : 88.6 mg/l (Water flea (Daphnia magna) 48h) ; Toxicity to Aquatic and Terrestrial Plants: CAS 136210-30-5 EC <sub>50</sub> : 3110 mg/l (Green algae (Scenedesmus subspicatus) 72h); 113 mg/l, 72h.	
<b>Persistence and degradability</b>	CAS 136210-30-5 13% exposure time: 28 days, Not readily biodegradable.
<b>Bioaccumulative potential</b>	No data available
<b>Mobility in soil</b>	No data available
<b>Other adverse effects</b>	Harmful to aquatic life with long lasting effects.
<b>Section 13. Disposal Considerations</b>	
<b>Information on safe handling for disposal/methods of disposal/contaminated packaging</b>	
Dispose of contents/container into safe container in accordance with local, regional or national regulations.	
<b>Section 14. Transport Information</b>	
<b>UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations</b>	
Not regulated	
<b>UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)</b>	
Not regulated	
<b>UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)</b>	
Not regulated	
<b>Special precautions (transport/conveyance)</b>	None
<b>Environmental hazards (IMDG or other)</b>	None
<b>Bulk transport (usually more than 450 L in capacity)</b>	None
<b>Section 15. Regulatory Information</b>	
<b>Safety/health Canadian regulations specifics</b>	This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
<b>Environmental Canadian regulations specifics</b>	Refer to Section 3 for ingredient(s) of the DSL
<b>Safety/health/environmental outside regulations specifics</b>	
United States OSHA information: This product is regulated according to OSHA (29 CFR). United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.	
<b>Section 16. Other Information</b>	
<b>Date of the latest revision of the safety data sheet</b>	February 04, 2018 - version 1
<b>References</b>	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu
<b>Abbreviations</b>	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada



TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System

DISCLAIMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.



## SAFETY DATA SHEET (SDS)

## Section 1. Identification

<b>Product identifier</b>	LABFAST LO, Part B
<b>Other means of identification</b>	LFL-B
<b>Recommended use and restrictions on use</b>	Floor Coating
<b>Initial supplier identifier</b>	LabSurface. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000
<b>Emergency telephone number/restriction on use</b>	Canada - Handling (450) 966-9000 8h-17h Canada - Transport CANUTEC Number 24 hours 613-996-6666

## Section 2. Hazard Identification

## Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin corrosion/ irritation (Category 2)  
Skin sensitization (Category 1B)  
Serious eye damage/eye irritation (Category 2A)  
Acute toxicity, Inhalation (Category 4)  
Sensitisation Respiratory (Category 1)  
Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)  
Hazardous to the aquatic environment, long-term hazard (Category 3)

## Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)

**Warning**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Prevention**

P260 + P261 Do not/Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection. P284 (In case of inadequate ventilation) wear respiratory protection.

**Response**

IF ON SKIN: P302 + P352 Wash with plenty of water. P332 + P313 If skin irritation occurs get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.  
IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
IF IN EYES: P305 + P351 + P338, Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

**Storage**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

**Disposal**

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

**Other hazards known** | None

## Section 3. Composition/Information on Ingredients

Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*
1,6 -Hexamethylene Diisocyanate Based Polyisocyanate	28182-81-2	60 - 100 %
Aliphatic diisocyanate	822-06-0	< 1 %

\*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

## Section 4. First-aid measures

<b>Inhalation</b>	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If symptoms persist, seek medical attention.
<b>Ingestion</b>	IF SWALLOWED: Immediately call a doctor. Prevent aspiration of vomit.



<b>Skin contact</b>	IF ON SKIN: Take off contaminated clothing, wash immediately with soap and plenty of water (20 - 30 minutes). If skin irritation occurs: Get medical attention. Wash clothing before reuse. If symptoms persist, seek medical attention.		
<b>Eye contact</b>	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
<b>Most important symptoms and effects (acute or delayed)</b>	Causes skin and eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.		
<b>Indication of immediate medical attention/special treatment</b>	In all cases, call a doctor. Do not forget this document.		
<b>Section 5. Fire-Fighting Measures</b>			
<b>Specific hazards of the hazardous product (hazardous combustion products)</b>			
Toxic fumes.			
<b>Suitable and unsuitable extinguishing media</b>			
In case of fire: Use limestone powder, carbon dioxide (CO <sub>2</sub> ), dry chemical.			
<b>Special protective equipment and precautions for fire-fighters</b>			
During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required.			
<b>Section 6. Accidental Release Measures</b>			
<b>Personal precautions, protective equipment and emergency procedures</b>			
Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil.			
<b>Methods and materials for containment and cleaning up</b>			
Avoid prolonged exposure. Spill should be contained with inert material and disposed into suitable retaining area. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Dispose of in accordance with local, provincial and federal regulations.			
<b>Section 7. Handling and Storage</b>			
<b>Precautions for safe handling</b>			
Do not/Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection. (In case of inadequate ventilation) wear respiratory protection.			
<b>Conditions for safe storage, including any incompatibilities</b>			
Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 16 - 27 °C.			
<b>Section 8. Exposure Controls/Personal Protection</b>			
<b>Control parameters (biological limit values or exposure limit values and source of those values)</b>			
Exposure limits ACGIH – TLV- TWA: CAS 28182-81-2: 0.5 mg/m <sup>3</sup> ; CAS 822-06-0: 0.02 mg/m <sup>3</sup>			
<b>Appropriate engineering controls</b>			
Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.			
<b>Individual protection measures/personal protective equipment</b>			
Gloves: Neopren gloves or equivalent; Clothing: Shirts with long sleeves, long pants; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.			
<b>Section 9. Physical and Chemical Properties</b>			
<b>Appearance, physical state/colour</b>	Liquid	<b>Vapour pressure</b>	Not available
<b>Odour</b>	Faint odor	<b>Vapour density</b>	Not available
<b>Odour threshold</b>	Not available	<b>Relative density</b>	Not available
<b>pH</b>	Not available	<b>Solubility</b>	Reacts
<b>Melting/freezing point</b>	Not available	<b>Partition coefficient - n-octanol/water</b>	Not available
<b>Initial boiling point/range</b>	Not available	<b>Auto-ignition temperature</b>	165 °C
<b>Flash point</b>	> 65 °C	<b>Decomposition temperature</b>	Not available
<b>Evaporation rate</b>	Not available	<b>Viscosity</b>	Not available
<b>Flammability (solids and gases)</b>	Not available	<b>VOC</b>	Not available



<b>Upper and lower flammability/explosive limits</b>	Not available	<b>Other</b>	None known
<b>Section 10. Stability and Reactivity</b>			
<b>Reactivity</b>			
Stable under normal conditions.			
<b>Chemical stability</b>			
Yes, Stable under the recommended storage and handling conditions prescribed.			
<b>Possibility of hazardous reactions</b>			
Non under normal conditions of storage and use.			
<b>Conditions to avoid (static discharge, shock or vibration)</b>			
Excess heat. Exposure to moisture			
<b>Incompatible materials</b>			
Copper, amine, oxidizing agents, humid air, water, alcohol, metals, acid, strong bases.			
<b>Hazardous decomposition products</b>			
Isocyanate, carbamate, cyanic acid, cyanogen, nitrile, toxic cyanate, hydrogen cyanide, Carbon dioxide (CO <sub>2</sub> ), carbon mono (CO)			
<b>Section 11. Toxicological Information</b>			
<b>Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)</b>			
Causes skin and eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.			
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>			
No specific information available.			
<b>Delayed and immediate effects (chronic effects from short-term and long-term exposure)</b>			
Skin Sensitization – May cause allergic skin reaction. Skin disorders and Allergies; Respiratory Sensitization – No data available; Cell Mutagenicity – Animal genetic toxicity studies were negative (Salmonella typhimurium, Metabolic Activation: with/without); Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – 3 weeks inhalation: NOAEL: 3.7-4.3 mg/m <sup>3</sup> , (rat); 90 days inhalation: NOAEL: 3.3-3.4 mg/m <sup>3</sup> , (rat) irritation to lungs and nasal cavity; Aspiration Hazard – Based on physical properties, not likely to be an aspiration hazard; Health Hazards Not Otherwise Classified – No data available.			
<b>Numerical measures of toxicity (ATE; LD<sub>50</sub> &amp; LC<sub>50</sub>)</b>			
CAS 28182-81-2 LD <sub>50</sub> Oral - Rat - > 5,000 mg/kg; LD <sub>50</sub> Dermal – Rabbit – 5,000 mg/kg; LC <sub>50</sub> Inhalation - Rat – 390-453 mg/m <sup>3</sup> 4hrs; ATE not available in this document.			
<b>Section 12. Ecological Information</b>			
<b>Ecotoxicity (aquatic and terrestrial information)</b>			
<b>Acute and prolonged Toxicity to Fish:</b> CAS 28182-81-2: Acute and Prolonged LC50: > 100 mg/L (Zebra fish (Brachydanio rerio) 96h); <b>Acute Toxicity to Aquatic Invertebrates:</b> CAS 28182-81-2 EC50: > 100 mg/L (Water flea (Daphnia magna) 48 h); <b>Toxicity to Aquatic Plants:</b> CAS 28182-81-2 EC50: > 1,000 mg/L, (Green algae (Scenedesmus subspicatus) 72 h); <b>Toxicity to Microorganisms:</b> CAS 28182-81-2 EC50: > 1,000 mg/L, (Activated sludge microorganism, 3 h).			
<b>Persistence and degradability</b>	CAS 28182-81-2: 0%, Exposure time: 28 Days, Not readily biodegradable.		
<b>Bioaccumulative potential</b>	No data available		
<b>Mobility in soil</b>	No data available		
<b>Other adverse effects</b>	Harmful to aquatic life with long lasting effects.		
<b>Section 13. Disposal Considerations</b>			
<b>Information on safe handling for disposal/methods of disposal/contaminated packaging</b>			
Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
<b>Section 14. Transport Information</b>			
<b>UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations</b>			
Not regulated			
<b>UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)</b>			
Not regulated			
<b>UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)</b>			
Not regulated			
<b>Special precautions (transport/conveyance)</b>	None		
<b>Environmental hazards (IMDG or other)</b>	None		
<b>Bulk transport (usually more than 450 L in capacity)</b>	None		
<b>Section 15. Regulatory Information</b>			
<b>Safety/health Canadian regulations specifics</b>	This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).		
<b>Environmental Canadian regulations specifics</b>	Refer to Section 3 for ingredient(s) of the DSL		
<b>Safety/health/environmental outside regulations specifics</b>			
United States OSHA information: This product is regulated according to OSHA (29 CFR).			



United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.  
United States TCSA information: Refer to the ingredients listed in Section 3.

**Section 16. Other Information**

**Date of the latest revision of the safety data sheet** | November 27, 2018 - version 2

**References** | Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu

**Abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System

**DISCLAIMER:** Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.