




SAFETY DATA SHEET (SDS)

Section 1. Identification		
Product identifier	UNIVERSAL PIGMENT PODS	
Other means of identification	PODUNI	
Recommended use and restrictions on use	Floor Coating	
Initial supplier identifier	LabSurface. 101-1079 des Forges, Terrebonne, J6Y0J9, Qué (Canada) Tél. (450) 966-9000	
Emergency telephone number/restriction on use	Canada – CANUTEC Number 24 hours 613-996-6666	
Section 2. Hazard Identification		
Classification of hazardous product (name of the category or subcategory of the hazard class)		
Acute toxicity, oral, dermal and inhalation (Category 4) Skin corrosion/irritation (Category 2) Skin sensitization (Category 1) Serious eye damage/eye irritation (Category 2A) Carcinogenicity (Category 2) Hazardous to the aquatic environment, long-term-hazard (Category 3)		
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)		
		
Warning H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects		
Prevention P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well ventilated area P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection.		
Response IF SWALLOWED: P301 + P312 Call a Poison Center/doctor if you feel unwell. P330 Rinse mouth. IF ON SKIN: P302 + P352 Wash with plenty of water. P312 Call a POISON CENTER/doctor if you feel unwell. P362 + P364 Take off contaminated clothing and wash it before reuse. IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention.		
Storage P405 Store locked up.		
Disposal P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.		
Other hazards known	None	
Section 3. Composition/Information on Ingredients		
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*
Trade Secret	-	> 50 %
Other colors may contain		
Titanium dioxide	13463-67-7	25 – 50 %
Amorphous silica	7631-86-9	< 2 %
Aluminium hydroxide	21645-51-2	< 2 %
Carbon black	1333-86-4	< 25 %
*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).		
Section 4. First-Aid Measures		



Inhalation	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If symptoms persist, seek medical attention.
Ingestion	IF SWALLOWED: Immediately call a doctor. Prevent aspiration of vomit. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.
Skin contact	IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If symptoms persist, seek medical attention.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Most important symptoms and effects (acute or delayed)	Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.
Section 5. Fire-Fighting Measures	
Specific hazards of the hazardous product (hazardous combustion products)	
Smoke, fume, oxides of carbon.	
Suitable and unsuitable extinguishing media	
In case of fire: Use Carbon dioxide (CO ₂), dry chemical, water and alcohol resistant foam.	
Special protective equipment and precautions for fire-fighters	
During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required	
Section 6. Accidental Release Measures	
Personal precautions, protective equipment and emergency procedures	
Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Methods and materials for containment and cleaning up	
Avoid prolonged exposure. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Spill should be contained with inert material and disposed into suitable retaining area. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.	
Section 7. Handling and Storage	
Precautions for safe handling	
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails /face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.	
Conditions for safe storage, including any incompatibilities	
Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 16 - 27 °C.	
Section 8. Exposure Controls/Personal Protection	
Control parameters (biological limit values or exposure limit values and source of those values)	
Exposure limits CAS 1333-86-4 – ACGIH – TLV-TWA 3 mg/m ³ & PEL-TWA 3.5 mg/m ³ ; CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; TWA (breathable dust fraction) 3 mg/m ³ ; CAS 7631-86-9 PEL-TWA 80 mg/m ³ ; CAS 21645-51-2 ACGIH – TLV-TWA 1 mg/m ³	
Appropriate engineering controls	
Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.	
Individual protection measures/personal protective equipment	
Gloves: Neopren gloves or equivalent; Clothing: Shirts with long sleeves, long pants; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.	
Section 9. Physical and Chemical Properties	



Appearance, physical state/colour	Liquid	Vapour pressure	Not available
Odour	Faint odor	Vapour density	Not available
Odour threshold	Not available	Relative density	Not available
pH	Not available	Solubility	Not soluble
Melting/freezing point	Not available	Partition coefficient - n-octanol/water	Not available
Initial boiling point/range	Not available	Auto-ignition temperature	Not available
Flash point	> 100 °C	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	Not available
Flammability (solids and gases)	Not available	VOC	Not available
Upper and lower flammability/explosive limits	Not available	Other	None known
Section 10. Stability and Reactivity			
Reactivity			
Stable under normal conditions.			
Chemical stability			
Yes, Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
Non under normal conditions of storage and use.			
Conditions to avoid (static discharge, shock or vibration)			
Excess heat.			
Incompatible materials			
Acids, bases, amines, oxidizing agents.			
Hazardous decomposition products			
Chlorine hydrogen, carbon oxides.			
Section 11. Toxicological Information			
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)			
Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer.			
Symptoms related to the physical, chemical and toxicological characteristics			
No specific information available.			
Delayed and immediate effects (chronic effects from short-term and long-term exposure)			
Skin Sensitization – May cause allergic skin reaction. Skin disorders and Allergies. Respiratory Sensitization – No data available; Germ Cell Mutagenicity – Animal genetic toxicity studies were negative; Carcinogenicity – Ingredients listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – In animal studies, did not interfere with reproduction; Specific Target Organ Toxicity — Single Exposure – Evaluation of available data suggests that this material is not an STOT-SE toxicant; Specific Target Organ Toxicity — Repeated Exposure – Except for skin sensitization, repeated exposures to low molecular weight epoxy resins of this type are not anticipated to cause any significant adverse effects; Aspiration Hazard – Based on physical properties, not likely to be an aspiration hazard; Health Hazards Not Otherwise Classified – No data available.			
Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)			
LD ₅₀ Oral - Rat 1134 mg/kg; LD ₅₀ Dermal – Rabbit – 1130 mg/kg; LC ₅₀ Inhalation – Not available; CAS 13463-67-7 LD ₅₀ Oral - Rat - > 5,000 mg/kg; LD ₅₀ Dermal – Rabbit – 10,000 mg/kg; LC ₅₀ Inhalation – 6.82 mg/l exposure time 4h; ATE not available in this document.			
Section 12. Ecological Information			
Ecotoxicity (aquatic and terrestrial information)			
Toxicity to fish; LC ₅₀ : 24 mg/l (Danjo rerio) 96 Hour; CAS 13463-67-7 LC ₅₀ : > 1,000 mg/l (Pimephales promelas) 96 Hour; Toxicity to Aquatic Invertebrates: EC ₅₀ : 75 mg/l (Daphnia magna) 48h; EC ₅₀ : >100 mg/l (Daphnia magna –water flea) 48h;			
Persistence and degradability	not easily biodegradable; Not readily biodegradable.		
Bioaccumulative potential	Bio-concentration potential is moderate; Bioaccumulation is unlikely low Pow -1.33.		
Mobility in soil	Potential for mobility in soil is low; The product is water soluble and may spread in water systems. Highly mobile in soils.		
Other adverse effects	Harmful to aquatic life with long lasting effects.		
Section 13. Disposal Considerations			
Information on safe handling for disposal/methods of disposal/contaminated packaging			
Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
Section 14. Transport Information			
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations			
Not regulated.			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
Not regulated.			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)			
Not regulated.			
Special precautions (transport/conveyance)	None		
Environmental hazards (IMDG or other)	None		



Bulk transport (usually more than 450 L in capacity)	None
Section 15. Regulatory Information	
Safety/health Canadian regulations specifics	This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	
United States OSHA information: This product is regulated according to OSHA (29 CFR).	
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.	
United States TCSA information: Refer to the ingredients listed in Section 3.	
California Proposition 65: For Color, White and Black WARNING: This product contains Titanium dioxide (CAS 13467-67-7) & Carbon black (CAS 1333-86-2) known to the State of California to cause cancer or other reproductive harm.	
Section 16. Other Information	
Date of the latest revision of the safety data sheet	November 15, 2019 - version 02
Corrections	Sections 1; 2; 3; 4; 7; 8; 9; 11; 15
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System
DISCLAIMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.	